

FortiGate[®] 600E Series

FortiGate 600E and 601E

Next Generation Firewall Enterprise Branch Secure SD-WAN



The FortiGate 600E series delivers next generation firewall capabilities for mid-sized to large enterprises, with the flexibility to be deployed at the campus or enterprise branch. Protects against cyber threats with security processor powered high performance, security efficacy and deep visibility.

Security

- Protects against known exploits, malware and malicious websites using continuous threat intelligence provided by FortiGuard Labs security services
- Identify thousands of applications including cloud applications for deep inspection into network traffic
- Protects against unknown attacks using dynamic analysis and provides automated mitigation to stop targeted attacks

Performance

- Delivers industry's best threat protection performance and ultra-low latency using purpose-built security processor (SPU) technology
- Provides industry-leading performance and protection for SSL encrypted traffic

Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin and AV Comparatives

Networking

- Delivers extensive routing, switching, wireless controller and high performance IPsec VPN capabilities to consolidate networking and security functionality
- Enables flexible deployment such as Next Generation Firewall and Secure SD-WAN

Management

- Single Pane of Glass with Network Operations Center (NOC) view provides 360° visibility to identify issues quickly and intuitively
- Predefined compliance checklist analyzes the deployment and highlights best practices to improve overall security posture

Security Fabric

 Enables Fortinet and Fabric-ready partners' products to collaboratively integrate and provide end-to-end security across the entire attack surface



 Automatically builds Network Topology visualizations which discover IoT devices and provide complete visibility into Fortinet and Fabric-ready partner products

| Firewall | IPS | NGFW | Threat Protection | Interfaces |
|----------|---------|----------|-------------------|-----------------------------------------------|
| 36 Gbps | 10 Gbps | 9.5 Gbps | 7 Gbps | Multiple GE RJ45, GE SFP and 10 GE SFP+ Slots |

Refer to specification table for details


DEPLOYMENT

Next Generation Firewall (NGFW)


- Combines threat prevention security capabilities into single high performance network security appliance
- Reduces complexity by creating campus topology view and providing granular visibility of devices, users and threat information
- Identify and stop threats with powerful intrusion prevention beyond port and protocol that examines the actual content of your network traffic
- Delivers industry's highest SSL inspection performance using industry-mandated ciphers
- Proactively detect malicious unknown threats using integrated cloud-based sandbox service



- Secure direct Internet access for Cloud applications for improved latency and reduce WAN cost spending
- Effective, cost-efficient and high performance threat prevention capabilities
- WAN Path Controller and Link Health Monitoring for better application performance
- Security Processor powered industry's best IPsec VPN and SSL Inspection performance
- Centralized Management and Zero-Touch deployment




FortiGate 600E deployment in campus (NGFW)



FortiGate 600E deployment in branch office (Secure SD-WAN)

HARDWARE

FortiGate 600E/601E







Interfaces

- 1. USB Port
- 2. Console Port
- 3. 2x GE RJ45 MGMT/HA Ports

- 4. 8x GE RJ45 Ports
- 5. 8x GE SFP Slots
- 6. 2x 10 GE SFP+ Slots

Powered by SPU

 Custom SPU processors deliver the power you need to detect malicious content at multi-Gigabit speeds



- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- SPU processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

Network Processor

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency down to 2 microseconds
- VPN, CAPWAP and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

Content Processor

Fortinet's new, breakthrough SPU CP9 content processor works outside of the direct flow of traffic and accelerates the inspection of computationally intensive security features:


- Enhanced IPS performance with unique capability of full signature matching at ASIC
- SSL Inspection capabilities based on the latest industry mandated cipher suites
- Encryption and decryption offloading

FORTINET SECURITY FABRIC

Security Fabric


The Security Fabric allows security to dynamically expand and adapt as more and more workloads and data are added. Security seamlessly follows and protects data, users, and applications as they move between IoT, devices, and cloud environments throughout the network.

FortiGates are the foundation of Security Fabric, expanding security via visibility and control by tightly integrating with other Fortinet security products and Fabric-Ready Partner solutions.



FortiOS

Control all the security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce operating expenses and save time with a truly consolidated nextgeneration security platform.



SERVICES



FortiGuard[™] Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.

- A truly consolidated platform with one OS for all security and networking services for all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings.
- Prevent, detect, and mitigate advanced attacks automatically in minutes with integrated advanced threat protection.
- Fulfill your networking needs with extensive routing, switching, and SD-WAN capabilities.
- Ultilize SPU hardware acceleration to boost security capability performance.

For more information, please refer to the FortiOS data sheet available at www.fortinet.com



FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.



For more information, please refer to forti.net/fortiguard and forti.net/forticare

SPECIFICATIONS

| | FORTIGATE 600E FORTIGATE 601E | | |
|---------------------------------------------------------------------|-------------------------------------------|--|--|
| Interfaces and Modules | | | |
| 10 GE SFP+ Slots | 2 | | |
| GE RJ45 Interfaces | 8 | | |
| GE SFP Slots | 8 | | |
| GE RJ45 Management Ports | 2 | | |
| USB Ports | 2 | | |
| RJ45 Console Port | 1 | | |
| Local Storage | NIL 2x 240 GB SSD | | |
| Included Transceivers | 2x SFP (SX 1 GE) | | |
| System Performance — Enterprise Traffic Mix | | | |
| IPS Throughput ² | 10 Gbps | | |
| NGFW Throughput ^{2, 4} | 9.5 Gbps | | |
| Threat Protection Throughput ^{2,5} | 7 Gbps | | |
| System Performance and Capacity | | | |
| IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP) | 36 / 36 / 27 Gbps | | |
| IPv6 Firewall Throughput (1518 / 512 / 64 byte, UDP) | 36 / 36 / 27 Gbps | | |
| Firewall Latency (64 byte, UDP) | 2 µs | | |
| Firewall Throughput (Packet per Second) | 40.5 Mpps | | |
| Concurrent Sessions (TCP) | 8 Million | | |
| New Sessions/Second (TCP) | 450,000 | | |
| Firewall Policies | 10,000 | | |
| IPsec VPN Throughput (512 byte) ¹ | 20 Gbps | | |
| Gateway-to-Gateway IPsec VPN Tunnels | 2,000 | | |
| Client-to-Gateway IPsec VPN Tunnels | 50,000 | | |
| SSL-VPN Throughput | 7 Gbps | | |
| Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode) | 5,000 | | |
| SSL Inspection Throughput (IPS, avg. HTTPS) ³ | 8 Gbps | | |
| SSL Inspection CPS (IPS, avg. HTTPS) ³ | 5,500 | | |
| SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³ | 800,000 | | |
| Application Control Throughput (HTTP 64K) ² | 15 Gbps | | |
| CAPWAP Throughput (HTTP 64K) | 18 Gbps | | |
| Virtual Domains (Default / Maximum) | 10 / 10 | | |
| Maximum Number of FortiSwitches Supported | 64 | | |
| Maximum Number of FortiAPs (Total / Tunnel) | 1,024 / 512 | | |
| Maximum Number of FortiTokens | 1,000 | | |
| Maximum Number of Registered Endpoints | 2,000 | | |
| High Availability Configurations | Active-Active, Active-Passive, Clustering | | |

| | FORTIGATE 600E | FORTIGATE 601E | | |
|------------------------------------------|--------------------------------------------------------------------|------------------------------------------------------|--|--|
| Dimensions and Power | | | | |
| Height x Width x Length (inches) | 1.75 x 17.0 x 15.0 | | | |
| Height x Width x Length (mm) | 44.45 x 4 | 44.45 x 432 x 380 | | |
| Weight | 16.1 lbs. (7.3 kg) | 16.6 lbs (7.5 kg) | | |
| Form Factor | 1 | 1 RU | | |
| Power Consumption (Average / Maximum) | | 129 W / 244 W | | |
| Power Source | 100-240\ | 100-240V 60-50Hz | | |
| Current (Maximum) | 6A @ | 6A @ 100V | | |
| Heat Dissipation | | 832 BTU/h | | |
| Redundant Power Supplies (Hot Swappable) | optional | | | |
| Operating Environment and Certifications | | | | |
| Operating Temperature | 32-104°F (0-40°C) | | | |
| Storage Temperature | -31-158°E (-35-70°C) | | | |
| Humidity | | | | |
| Noise Level | 59 dBA | | | |
| Operating Altitude | Un to 7 400 | Up to 7 400 ft (2 250 m) | | |
| Compliance | FCC Part 15 Class | FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB | | |
| Certifications | ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN; USGv6/IPv6 | | | |

Note: All performance values are "up to" and vary depending on system configuration.

1. IPsec VPN performance test uses AES256-SHA256.

- 2. IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.
- 3. SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.
- NGFW performance is measured with Firewall, IPS and Application Control enabled.
 Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

F#RTINET.

ORDER INFORMATION

| Product | SKU | Description |
|------------------------------------------------------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FortiGate 600E | FG-600E | 2x 10 GE SFP+ slots, 10x GE RJ45 ports (including 1x MGMT port, 1x HA port, 8x switch ports), 8x GE SFP slots, SPU NP6 and CP9 hardware accelerated. |
| FortiGate 601E | FG-601E | 2x 10 GE SFP+ slots, 10x GE RJ45 ports (including 1x MGMT port, 1x HA port, 8x switch ports), 8x GE SFP slots, SPU NP6 and CP9 hardware accelerated, 2x 240 GB onboard SSD storage. |
| Optional Accessories | | |
| 1 GE SFP LX Transceiver Module | FG-TRAN-LX | 1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots. |
| 1 GE SFP RJ45 Transceiver Module | FG-TRAN-GC | 1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+slots. |
| 1 GE SFP SX Transceiver Module | FG-TRAN-SX | 1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots. |
| 10 GE SFP+ Transceiver Module, Short Range | FG-TRAN-SFP+SR | 10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots |
| 10 GE SFP+ Transceiver Module, Long Range | FG-TRAN-SFP+LR | 10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots |
| 10 GE Copper SFP+ Transceiver Module, up to 30m | FS-TRAN-SFP+GC | 10 GE copper SFP+ RJ45 transceiver. For FortiSwitch only, up to 30m. |
| 10 GE SFP+ Active Direct Attach Cable, 10m / 32.8 ft | SP-CABLE-ADASFP+ | 10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots |
| Optional Power Supply | SP-FG300E-PS | AC power supply for FG-300/301E, FG-400/401E, FG-500/501E, FG-600/601E, FAZ-200F/300F/800F and FMG-200F/300F. |



FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

| Bundles | Threat Protection | UTM | Enterprise Protection |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----|-----------------------|
| FortiCASB SaaS-only Service ^ | | | • |
| FortiGuard Industrial Service ^ | | | • |
| FortiGuard Security Rating Service* ^ | | | • |
| FortiGuard Antispam | | • | • |
| FortiGuard Web Filtering | | • | • |
| FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR*, Virus Outbreak Protection* and FortiSandbox Cloud Service* | ٠ | ٠ | • |
| FortiGuard IPS Service | • | • | • |
| FortiCare + FortiGuard App Control Service | • | • | • |

* Available when running FortiOS 6.0.1 and above ^ With new Q3-2018 SKUs



GLOBAL HEADQUARTERS Fortinet Inc. 899 KIFER ROAD Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 www.fortinet.com/sales

EMEA SALES OFFICE 905 rue Albert Einstein 06560 Valbonne France Tel: +33.4.8987.0500

APAC SALES OFFICE 8 Temasek Boulevard #12-01 Suntec Tower Three Singapore 038988 Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE Sawgrass Lakes Center 13450 W. Sunrise Blvd., Suite 430 Sunrise, FL 33323 United States Tel: +1.954.368.9990

Copyright© 2019 Fortnet, Inc. All rights reserved. Fortiles®, Fortiles®, Fortiles® and Fortiles@, and certain other marks are registered trademarks of Fortinet, Inc., in the U.S. and other jurisdictions, and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were atlaned in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Noting herein represents any binding commitment by Fortinet, and Fortine disclaims all warantes, see presessive dening in such binding withinten contract, signed by Fortinet. For about carring, with a purchaser that expressive warants that the identified product is not printing warenews/benefitied performance metrics and, in such event, only the specific performance metrics expressive justified to expressive of their espressive dening the same ideal conditions as in Fortient's internal lab tests. In one event does Fortinet make any commitment related to future deliverables, features or development, and circumstances may change such that any forward-looking statements herein are not accurate. Fortinet disclaims in full any covenants, representations, and guarantees pursuant here expressive inglicable. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable. Fortinet disclaims in full any covenants, representations, and guarantees pursuant herein evenes and indent expressive dening the cost and counter to expressive