

# FortiGate® 1200D



The Fortinet Enterprise Firewall Solution delivers end-to-end network security with one platform, one network security operating system and unified policy management with a single pane of glass — for **the industry's best protection against the most advanced security threats and targeted attacks**.



## **Security Fabric Integration**

FortiGate appliances, interconnected with the Fortinet Security Fabric, form the backbone of the Fortinet Enterprise Solution.



**72 Gbps**Firewall

**11 Million**Concurrent



6 Gbp



6.8 Gbps

**6 Gbps** *NGFW* 

**4 Gbps** *Threat Protection* 



Multiple GE RJ45, GE SFP and 10 GE SFP+ slots



## **Deployment Modes**

Next Generation Firewall Internal Segmentation Firewall Data Center Firewall



#### **Hardware Acceleration**

SPU NP6 and CP8



#### **Third-Party Certifications**









## **HARDWARE**

#### FortiGate 1200D







#### Interfaces

- 1. USB Management Port
- 2. USB Port
- 3. Console Port
- 4. 2x GE RJ45 Management Ports

- 5. 16x GE SFP Slots
- 6. 16x GE RJ45 Ports
- 7. 4x 10 GE SFP+ Slots

## Powered by SPU

 Custom SPU processors deliver the power you need to detect malicious content at multi-Gigabit speeds



- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- SPU processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

### **Network Processor**

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency down to 2 microseconds
- VPN, CAPWAP and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

#### **Content Processor**

The SPU CP8 content processor works outside of the direct flow of traffic, providing high-speed cryptography and content inspection services including:

- Signature-based content inspection acceleration
- Encryption and decryption offloading

## 10 GE Connectivity


High-speed connectivity is essential for network security segmentation. The FortiGate 1200D provides 10 GE slots that simplify network designs without relying on additional devices to bridge desired connectivity.

2 www.fortinet.com

#### SOFTWARE

#### **FortiOS**

Control all the security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce operating expenses and save time with a truly consolidated next generation security platform.



- A truly consolidated platform with one OS for all security and networking services for all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100,
  AV Comparatives and ICSA validated security and performance.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings.
- Detect, contain and block advanced attacks automatically in minutes with integrated advanced threat protection framework.
- Solve your networking needs with extensive routing, switching, WiFi, LAN and WAN capabilities.
- Activate all the SPU-boosted capabilities you need on the fastest firewall platform available.



For more information, please refer to the FortiOS data sheet available at www.fortinet.com

#### **SERVICES**

## FortiGuard<sup>™</sup> Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations, other network and security vendors, as well as law enforcement agencies:

- Real-time Updates 24x7x365 Global Operations research security intelligence, distributed via Fortinet Distributed Network to all Fortinet platforms.
- Security Research FortiGuard Labs have discovered over 170 unique zero-day vulnerabilities to date, totaling millions of automated signature updates monthly.
- Validated Security Intelligence Based on FortiGuard intelligence, Fortinet's network security platform is tested and validated by the world's leading third-party testing labs and customers globally.

## FortiCare<sup>™</sup> Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East and Asia, FortiCare offers services to meet the needs of enterprises of all sizes:

- Enhanced Support For customers who need support during local business hours only.
- Comprehensive Support For customers who need aroundthe-clock mission critical support, including advanced exchange hardware replacement.
- Advanced Services For global or regional customers who need an assigned Technical Account Manager, enhanced service level agreements, extended software support, priority escalation, on-site visits and more.
- Professional Services For customers with more complex security implementations that require architecture and design services, implementation and deployment services, operational services and more.



#### **Enterprise Bundle**

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with the FortiGuard Enterprise Bundle. This bundle contains the full set of FortiGuard security services plus FortiCare service and support offering the most flexibility and broadest range of protection all in one package.

## **SPECIFICATIONS**

	FORTIGATE 1200D
Interfaces and Modules	
Hardware Accelerated 10 GE SFP+ Slots	4
Hardware Accelerated GE SFP Slots	16
Hardware Accelerated GE RJ45 Ports	16
GE RJ45 Management / HA Ports	2
USB Ports (Client / Server)	1/1
Console Port	1
Onboard Storage	240 GB
Included Transceivers	0
System Performance and Capacity	
IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)	72 / 72 / 52 Gbps
IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)	72 / 72 / 52 Gbps
Firewall Latency (64 byte, UDP)	3 µs
Firewall Throughput (Packet per Second)	78 Mpps
Concurrent Sessions (TCP)	11 Mil
New Sessions/Second (TCP)	290,000
Firewall Policies	100,000
IPsec VPN Throughput (512 byte)	48 Gbps
Gateway-to-Gateway IPsec VPN Tunnels	20,000
Client-to-Gateway IPsec VPN Tunnels	50,000
SSL-VPN Throughput	3.6 Gbps
Concurrent SSL-VPN Users (Recommended Maximum)	10,000
IPS Throughput (HTTP / Enterprise Mix) 1	11 / 6.8 Gbps
SSL Inspection Throughput <sup>2</sup>	6 Gbps
Application Control Throughput <sup>3</sup>	10 Gbps
NGFW Throughput <sup>4</sup>	6 Gbps
Threat Protection Throughput 5	4 Gbps
CAPWAP Throughput <sup>6</sup>	15 Gbps
Virtual Domains (Default / Maximum)	10 / 250
Maximum Number of FortiAPs (Total / Tunnel)	4,096 / 1,024

	FORTIGATE 1200D
Maximum Number of FortiTokens	5,000
Maximum Number of Registered Endpoints	8,000
High Availability Configurations	Active-Active, Active-Passive, Clustering
Dimensions	
Height x Width x Length (inches)	3.5 x 17.24 x 21.81
Height x Width x Length (mm)	89 x 438 x 554
Weight	32.50 lbs (14.70 kg)
Form Factor	Rack Mount, 2 RU
Power	
AC Power Supply	100-240V AC, 50-60 Hz
Maximum Current	100V / 8A, 220V / 4A
Power Consumption (Average / Maximum)	270 W / 332 W
Heat Dissipation	1132 BTU/h
Redundant Power Supplies	Yes, Hot swappable
Environment	
Operating Temperature	32-104°F (0-40°C)
Storage Temperature	-31–158°F (-35–70°C)
Humidity	10-90% non-condensing
Operating Altitude	Up to 9,843 ft (3,000 m)
Compliance	
	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB
Certifications	
	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN; USGv6/IPv6

Note: All performance values are "up to" and vary depending on system configuration. IPsec VPN performance is based on 512 byte UDP packets using AES-256+SHA1. 1. IPS performance is measured using 1 Mbyte HTTP and Enterprise Traffic Mix. 2. SSL Inspection is measured with IPS enabled and HTTP traffic, using TLS v1.2 with AES256-SHA. 3. Application Control performance is measured with 64 Kbytes HTTP traffic. 4. NGFW performance is measured with IPS and Application Control enabled, based on Enterprise Traffic Mix. 5. Threat Protection performance is measured with IPS and Application Control and Malware protection enabled, based on Enterprise Traffic Mix. 6. CAPWAP performance is based on 1444 byte UDP packets.

For complete, up-to-date and detailed feature set, please refer to the Administration Handbook and FortiOS Datasheet.

## ORDER INFORMATION

Product	SKU	Description
FortiGate 1200D	FG-1200D	4x 10 GE SFP+ slots, 16x GE SFP slots, 18x GE RJ45 ports (including 16 ports, 2x management/HA ports), SPU NP6 and CP8 hardware accelerated, 240 GB SSD onboard storage, dual AC power supplies.
Optional Accessories/Spares	SKU	Description
1 GE SFP LX Transceiver Module	FG-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 Transceiver Module	FG-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+slots.
1 GE SFP SX Transceiver Module	FG-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Short Range	FG-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Long Range	FG-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Active Direct Attach Cable, 10m / 32.8 ft	SP-CABLE-ADASFP+	10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots.
Rack Mount Sliding Rails	SP-FG3040B-RAIL	Rack mount sliding rails for FG-1000C/-DC, FG-1200D, FG-1500D/DC, FG-3040B/-DC, FG-3140B/-DC, FG-3240C/-DC, FG-3000D/-DC, FG-3100D/-DC, FG-3200D/-DC, FG-3700D/-DC, FG-3700DX, FG-3810D/-DC and FG-3950B/-DC.
AC Power Supply	SP-FG1240B-PS	AC power supply for FG-1200D, FG-1240B, FG-1500D, FG-3040B and FG-3140B.



GLOBAL HEADQUARTERS Fortinet Inc. 899 KIFER ROAD Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 www.fortinet.com/sales

EMEA SALES OFFICE 905 rue Albert Einstein 06560 Valbonne France Tel: +33.4.8987.0500

APAC SALES OFFICE 300 Beach Road 20-01 The Concourse Singapore 199555 Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE Sawgrass Lakes Center 13450 W. Sunrise Blvd., Suite 430 Sunrise, FL 33323 United States Tel: +1.954.368.9990

Copyright© 2017 Forfinet, Inc. All rights reserved. Forficate®, Forficate®, Forficate® and Forficard®, and certain other marks are registered trademarks of Forfinet, Inc., in the U.S. and other jurisdictions, and other Forfinet names herein may also be registered and/or common law trademarks of Forfinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Forfinet, and Forfinet disclaims all warranties, whether express or implied, except to the extent Forfinet network and the results may vary. Network variables, different network environments and other results may vary. Network variables, different network environments and other conditions may affect performance metrics and, in such event, only the specifical in such binding varieties of the other performance metrics and, in such event, only the specifical in such binding varieties of the other performance metrics and, in such event, only the specifical in such binding varieties of the other performance metrics and, in such event, only the specifical in such binding varieties called by the other performance metrics and in such binding varieties called by the other performance metrics and in such binding varieties of the other performance metrics and in such binding varieties called by the other performance metrics and in such binding varieties of the other performance metrics and in such binding varieties of the other performance metrics and in such binding varieties of the other performance metrics and performance metrics and performance metrics. The other performance metrics and performance metrics and performance metrics and performance metrics. The other performance metrics and performance metrics and performance metrics