


FortiGate[®] 3100D

FG-3100D and 3100D-DC



The Fortinet Enterprise Firewall Solution delivers end-to-end network security with one platform, one network security operating system and unified policy management with a single pane of glass — for **the industry's best protection against the most advanced security threats and targeted attacks**.



Security Fabric Integration

FortiGate appliances, interconnected with the Fortinet Security Fabric, form the backbone of the Fortinet Enterprise Solution.





IPS



18 Gbps









Multiple 10 GE SPF+ | Multiple GE SFP and GE RJ45



Deployment Modes

Next Generation Firewall Internal Segmentation Firewall Data Center Firewall Carrier-Class Firewall



Hardware Acceleration SPU CP8 and NP6




Third-Party Certifications



HARDWARE

FortiGate 3100D





Interfaces

1. Console Port

2. USB Management Port

Powered by SPU

 Custom SPU processors deliver the power you need to detect malicious content at multi-Gigabit speeds



- Other security technologies cannot protect against today's wide range of content- and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- SPU processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

- 3. 2x GE RJ45 Management Ports
- 4. 32x 10G SFP+/GE SFP Slots

Network Processor

Fortinet's new, breakthrough SPU NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency down to 2 microseconds
- VPN, CAPWAP and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

Content Processor

The SPU CP8 content processor works outside of the direct flow of traffic, providing high-speed cryptography and content inspection services including:

- Signature-based content inspection acceleration
- Encryption and decryption offloading


10 GE Connectivity for Network Segmentation

High speed connectivity is essential for network security segmentation at the core of data networks. The FortiGate 3100D provides the highest 10 GE port densities in the market, simplifying network designs without relying on additional devices to bridge desired connectivity.

SOFTWARE

FortiOS

Control all the security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce operating expenses and save time with a truly consolidated next generation security platform.



- A truly consolidated platform with one OS for all security and networking services for all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives and ICSA validated security and performance.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings.
- Detect, contain and block advanced attacks automatically in minutes with integrated advanced threat protection framework.
- Solve your networking needs with extensive routing, switching, WiFi, LAN and WAN capabilities.
- Activate all the SPU-boosted capabilities you need on the fastest firewall platform available.

For more information, please refer to the FortiOS data sheet available at www.fortinet.com

SERVICES

FortiGuard[™] Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations, other network and security vendors, as well as law enforcement agencies:

- Real-time Updates 24x7x365 Global Operations research security intelligence, distributed via Fortinet Distributed Network to all Fortinet platforms.
- Security Research FortiGuard Labs have discovered over 170 unique zero-day vulnerabilities to date, totaling millions of automated signature updates monthly.
- Validated Security Intelligence Based on FortiGuard intelligence, Fortinet's network security platform is tested and validated by the world's leading third-party testing labs and customers globally.

FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East and Asia, FortiCare offers services to meet the needs of enterprises of all sizes:

- Enhanced Support For customers who need support during local business hours only.
- Comprehensive Support For customers who need aroundthe-clock mission critical support, including advanced exchange hardware replacement.
- Advanced Services For global or regional customers who need an assigned Technical Account Manager, enhanced service level agreements, extended software support, priority escalation, on-site visits and more.
- Professional Services For customers with more complex security implementations that require architecture and design services, implementation and deployment services, operational services and more.



Enterprise Bundle

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with the FortiGuard Enterprise Bundle. This bundle contains the full set of FortiGuard security services plus FortiCare service and support offering the most flexibility and broadest range of protection all in one package.

F#RTINET

SPECIFICATIONS

	FORTIGATE 3100D
Interfaces and Modules	
10 GE SFP+ / GE SFP Slots	32
GE RJ45 Management Ports	2
USB Ports (Client / Server)	1/1
Console Port	1
Internal Storage	480 GB
Included Transceivers	2x SFP+ (SR 10 GE)
System Performance and Capacity	
Firewall Throughput (1518 / 512 / 64 byte, UDP)	80 / 80 / 50 Gbps
IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)	80 / 80 / 50 Gbps
Firewall Latency (64 byte, UDP)	3 µs
Firewall Throughput (Packet per Second)	75 Mpps
Concurrent Sessions (TCP)	50 Million
New Sessions/Second (TCP)	400,000
Firewall Policies	200,000
IPsec VPN Throughput (512 byte)	50 Gbps
Gateway-to-Gateway IPsec VPN Tunnels	40,000
Client-to-Gateway IPsec VPN Tunnels	64,000
SSL-VPN Throughput	8 Gbps
Concurrent SSL-VPN Users (Recommended Maximum)	30,000
IPS Throughput (HTTP / Enterprise Mix) ¹	45 / 22 Gbps
SSL Inspection Throughput ²	22 Gbps
Application Control Throughput ³	34 Gbps
NGFW Throughput ⁴	18 Gbps
Threat Protection Throughput ⁵	13 Gbps
CAPWAP Throughput ⁶	22 Gbps
Virtual Domains (Default / Maximum)	10 / 500
Maximum Number of FortiAPs (Total / Tunnel Mode)	4,096 / 1,024

FORTIGATE 3100D		
5,000	Maximum Number of FortiTokens	
20,000	Maximum Number of Registered FortiClients	
Active/Active, Active/Passive, Clustering	High Availability Configurations	
	Dimensions amd Power	
3.5 x 17.4 x 21.9	Height x Width x Length (inches)	
88 x 442 x 555	Height x Width x Length (mm)	
37.69 lbs. (17.1 ka)	Weight	
2 RU	Form Factor	
100-240V AC 50-60 Hz	AC Power Supply	
40.5-57V DC	DC Power Supply (FG-3100D-DC)	
337 W / 520 W	Power Consumption (Average / Maximum)	
1775 BTU/h	Heat Dissipation	
Yes, Hot Swappable	Redundant Power Supplies	
	Operating Environment and Certifications	
32-104°F (0-40°C)	Operating Temperature	
-31-158°E (-35-70°C)	Storage Temperature	
10–90% non-condensing	Humidity	
Up to 7 400 ft (2 250 m)	Operating Altitude	
FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB	Compliance	
ICSA Labs: Firewall, IPsec, IPS, Antivirus SSL-VPN; USGv6/IPv6	Certifications	
SSL-VPN; USGv6/IPv6		

Note: All performance values are "up to" and vary depending on system configuration. IPsec VPN performance is based on 512 byte UDP packets using AES-256+SHA1. 1. IPS performance is measured using 1 Mbyte HTTP and Enterprise Traffic Mix. 2. SSL Inspection is measured with IPS enabled and HTTP traffic, using TLS v1.2 with AES256-SHA. 3. Application Control performance is measured with 64 Kbytes HTTP traffic. 4. NGFW performance is measured with IPS and Application Control enabled, based on Enterprise Traffic Mix. 5. Threat Protection performance is measured with IPS and Application Control and Malware protection enabled, based on Enterprise Traffic Mix. 6. CAPWAP performance is based on 1444 byte UDP packets.

For complete, up-to-date and detailed feature set, please refer to the Administration Handbook and FortiOS Datasheet.

ORDER INFORMATION

Product	SKU	Description
FortiGate 3100D	FG-3100D	32x 10 GE SFP+ slots 10G ports (2 SFP+ SR-type transceivers included), SPU NP6 and CP8 hardware accelerated, 480 GB SSD internal storage, and dual AC power supplies.
FortiGate 3100D-DC	FG-3100D-DC	32x 10 GE SFP+ slots, 2x GE RJ45 Management, SPU NP6 and CP8 hardware accelerated, 480 GB SSD onboard storage, and dual DC power supplies.
Optional Accessories		
Rack Mount Sliding Rails	SP-FG3040B-RAIL	Rack mount sliding rails for FG-1000C/-DC, FG-1200D, FG-1500D/DC, FG-3040B/-DC, FG-3140B/-DC, FG-3240C/-DC, FG-3000D/-DC, FG-3100D/-DC, FG-3200D/-DC, FG-3700D/-DC, FG-3700DX, FG-3810D/-DC and FG-3950B/-DC.
10 GE SFP+ Transceiver Module, Short Range	FG-TRAN-SFP+SR	10 GE SFP+ transceiver module, short range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ Transceiver Module, Long Range	FG-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
1 GE SFP LX Transceiver Module	FG-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 Transceiver Module	FG-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP SX Transceiver Module	FG-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
10 GE SFP+ Active Direct Attach Cable, 10m / 32.8 ft	SP-CABLE-ADASFP+	10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots.
AC Power Supply	SP-FG3600C-PS	AC power supply for FG-3000D, FG-3100D, FG-3200D, FG-3600C and FG-3240C.
DC Power Supply	SP-FG1500D-DC-PS	DC power supply for FG-1500D-DC, FG-3000D-DC, FG-3100D-DC, FG-3200D-DC.



GLOBAL HEADQUARTERS Fortinet Inc. 899 KIFER ROAD Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 www.fortinet.com/sales

EMEA SALES OFFICE 905 rue Albert Einstein 06560 Valbonne France Tel: +33.4.8987.0500

APAC SALES OFFICE 300 Beach Road 20-01 The Concourse Singapore 199555 Tel: +65.6395.2788

LATIN AMERICA SALES OFFICE Sawgrass Lakes Center 13450 W. Sunrise Blvd., Suite 430 Sunrise, FL 33323 United States Tel: +1.954.368.9990

Copyright© 2017 Fortnet, Inc. All rights reserved. Fortiles®, Fortiles®, Fortiles® and Forti@ard®, and certain other marks are registered trademarks of Fortinet, Inc., in the U.S. and other jurisdictions, and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were atlaned in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Noting herein represents any binding commitment by Fortinet, and Fortine disclaims all warantes, whether express or inplied, except to the extent Fortine teres a binding written contract, signed by Fortinet. For about carring, with a purchaser that express/warants that the identified product or company names may be indeged performance metrics and, in such event, only the specific performance metrics expressly variables, and event waranty wills be inding on Fortinet. For about carring, waranty waranty wills be inding on Fortinet. For about carring, waranty waranty wills are serie lade conditions as in Fortinet's internal lab tests. In one event does Fortinet make any commitment related to future development, and circumstances may change such that any forward-looking statements herein are not accurate. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereit, were set in replicable. Fortinet respress variable for the series of a condition without notice, and the most current version of the publication shall be applicable. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereits, express of the respress of the res